Tree Preservation and Landscape Regulations 2020 UDC General Amendments

UDC Amendment No. 20-03

Tree Preser	Tree Preservation, Removal and Mitigation					
Issue No.	Relevant UDC Section(s)	Issues	Requestor			
		Consider establishing a threshold for identifying which multi-trunk trees must be				
TP.01	8.02.020	included on a survey based on the DBH of the largest trunk.	UDCAC			
TP.02	16.02	Consider adding a definition for tree branch and tree trunk.	UDCAC			
		Consider adding a definition for "hardwood" and "softwood" trees as some might				
TP.03	16.02	have different interpretations.	UDCAC			
		Exclude all cedar (ash-juniper and mountain cedar) trees from the protected trees				
TP.04	8.02.020	definition.	UDCAC			
TP.05	8.02.020	Consider excluding ornamental trees from the definition of protected trees.	UDCAC			
		Clarify applicability of City approval for the removal of protected trees within a right-	a. 66			
TP.06	8.02.030, 8.02.040, 8.06.040, 3.23	of-way or public utility easement and assessment of mitigation fees.	Staff			
		Consider requiring a Tree Inventory for new projects and phased projects whose				
TP.07	8.05	surveys need to be update after 5 and 10 years.	Staff			
		Consider prioritizing the preservation of protected trees to allow flexibility in site design elements (I.e. parking layout, monument sign location). Clarify the existing				
TP.08	8.02.050	process for Heritage Trees.	Staff			
TP.09	8.04.040, 8.05	Consider establishing boundaries for calculating protected and heritage trees on projects (i.e. floodplain, ROW, Limit of Construction, Phase or Section specific)	Staff, Public			
11.03		projects (not needplant, notify finite of construction, mass of section specime)	Jean, rabile			
		Consider requiring additional information on the health of a protected and heritage				
TP.10	New, 8.02, 8.05	tree to address disease control issues as it relates to tree preservation.	Staff			
TP.11	8.02.040	Consider additional options for tree mitigation.	Staff, Public			
		Consider altering the situations in which required landscaping trees can be removed				
TP.12	8.06.060	– specifically related to signage.	Staff			

Tree Preservation and Landscape Regulations 2020 UDC General Amendments

UDC Amendment No. 20-03

Streetyards, Gateways and Parking						
Issue No.	Relevant UDC Section(s)	Issues	Requestor			
SY.01	8.03.030	Use of artificial turf for single-family residential	Public			
		Street yard requirements, particularly for projects with buildings at great distance				
SY.02	8.04.030	from the road and/or phased projects	Public			
		Applicability of Gateway landscape requirements (and how these relate to other				
SY.03	4.11, 8.04.030, 8.04.050	landscape requirements)	Staff			
SY.04	8.04.040	Landscape requirements for inventory lots related to an auto sales use	Staff, Public			
SY.05	8.05, 8.06, 10, 13.03	Conflicts between signage, utilities and easements, and landscape requirements	Staff, UDCAC			

Screening, Buffering and Water Conservation						
Issue No.	Relevant UDC Section(s)	Issues	Requestor			
SBW.1	8.04.070	Screening requirements for alternative waste containers	Staff			
		Review current nonresidential landscaping requirements with regard to the city's				
SBW.2	New	water conservation efforts	Public, UDCAC, P&Z			